

**ZONAL OFFICE : AHMEDABAD ZONE
ENGINEERING DEPARTMENT**

5th Floor, Bank of India Bldg., Bhadra, Ahmedabad : 380 001.
Phone No. 25356085/25331385 Fax No. 25390354

Date : 29.10.2009

SHORT TENDER NOTICE

SUPPLY OF STRONG ROOM DOORS FOR SAFE DEPOSIT VAULTS

The Zonal Manager, Bank of India, Ahmedabad Zone, invites sealed tenders from the reputed manufacturers of Strong Room Doors for Safe Deposit Vaults for our various branches. The terms and conditions are as under :

- (1) The unit rate as quoted by the vendor would be NET inclusive of transportation / delivery charge, Tax / VAT and F.O.R. destination
- (2) The Unique rate quoted shall be inclusive of installation charges by the supplier at the site of work.
- (3) Your tender shall be accompanied by brochures and earnest money deposit Of Rs.10000/- in the form of DD fvg. BANK OF INDIA, AHMEDABAD
- (4) Supply to be made within three weeks on receipt of supply order from the Bank. However, supply of one Door for Dholka Branch is required to be made within one week from the date of Placing the order.

3. The sealed price bid is to be submitted at our Zonal Office at the above address latest by 2.11.2009 before 12.00 Noon.

(D.V.CHAWLA)
SR.MANAGER(ENGG.)

ITEM SUPPLYING AND INSTALLING STRONG ROOM DOOR FOR SAFE DEPOSIT VAULTS:

Over all dimensions (not less than) height 2250 mm X width 1320 mm
Clear opening (not less than) height 2003 mm and width 915 mm

Torch and drill resistant layer / slab – 65 mm of double duty bearier material.

As per class B (TRTL 60) of IS : 11188, the total thickness of protective layer over locks and other vital parts has to be 105 mm

2 (two) superior quality eight liver dual control locks made of brass and phosphor bronze spring should be provided

It will be the sole responsibility of the supplier to arrange for labour and material for installation

Sr.	Item	Total Amount quoted
1	Strong Room Door for safe Deposit Vault with Grill gate (Class-B) TRTL 30 of IS :11188	
2	65 mm Strong room door for Safe Deposit Valut with grill gate of TRTL 60	
3	Supplying and installing Air ventilator Standard Brand	
4	Suplying and installing Standard quality Exhaust Fan	

The suppliers may also quote for their other locker cabinets alongwith their broucher indicating clearly the rates offered are for which cabinet, so that bank shall have flexibility to consider procurement of any type of locker cabinet

1. The cabinet dimensions and specification shall be as per IS 5244:1991
2. All other sides of the lockers should be made of 5 mm high grade steel.
3. The front or door plate of the shelves shall be reinforced of 10 mm high grade steel.
4. The shelves and partitions shall be made of 2mm thick steel.
5. It shall be fitted with a high precision, unpickable, dual control 7 lever lock.

6. All steel components shall be given anti rust treatment.
7. For enhanced security, the cabinets should have provision for fitment of renter personal lock and pad locking hasps.
8. All the SDL should be supplied with BIS label.
9. The supplier has to quote firm rate inclusive of all taxes, carting ,loading,unloading and keeping at the appropriate floor/place as per the requirement of the Bank.
10. This supply includes delivery at Dholka Branch (Ground floor), proposed Odhav Branch and/or any other branch in Ahmedabad Zone. No extra lifting charges shall be paid whether the branch is on ground floor or first floor.
11. Supplier is expected to see the site before submitting tender.
12. Supplier has to give warranty of one year from the date of supply and Bank will retain 2% retention money which will be released after completion of one year.

QUALIFYING CRITERIA: The tenderers should fulfill the following qualifying criteria. **They shall submit copies of documents to substantiate their qualifications along with the technical and commercial bids failing which their tenders are liable to be rejected.**

- 2.1 Only manufacturers are eligible to submit tenders.
- 2.2 The manufacturer of the Locker cabinets should have current BIS license to manufacture and supply all the model of the Safe Deposit Locker Cabinets.
- 2.3 The Tenderer should have a well established Office and Distribution set up and should have been dealing with manufacture and supply of safes deposit Locker cabinets for the last 5 years.
- 2.4 The Tenderer should have an efficient service network at Ahmedabad or near the places where the locker cabinets are to be supplied.
- 2.5 The rates quoted shall be valid for one year i.e. upto 31.10.2010.
- 2.6 The tenderer shall furnish ST / VAT Registration numbers.
- 2.7 The Manufacturer should be ISO 9001: 2000 , ISO 14001 : 2004 and OHSAS 18001 :1999 certified company

- 2.8 The manufacturer should provide one key for each locker and one master key bearing symbol of the Bank and Branch code number. On the other side of the manufacturer may put their symbol and the key number.
- 2.9 The supplier may also furnish their catalogue showing the specifications of their products alongwith all dimensions and weight. They should quote rate per each cabinet of various categories of their products.
- 2.10 The rates quoted shall be valid for one year, as Bank would like to increase the number of cabinets during this period.
- 2.11 The tenders without earnest money deposit shall not be considered and are liable to be summarily rejected.
- 2.12 The last date of submission of TENDER is 2.11.2009 before 12.00 Noon.
- 2.13 The supplier has to ensure supply of Doors within three weeks from the Date of placing the order. However, in respect of Dholka Branch, supply of One Door has to be made within one week from the date of placing the Order.
- 2,14 There should be no damage to Bank's property while lifting, carrying, sliding and installing the Door. However, in case any damage is caused, then the same will be got repaired by the supplier.

(D.V.CHAWLA)
SR. MANAGER (ENGG.)

SDV-DOORS

